

SAFETY DATA SHEET

Zeroflame Wood-C

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

Trade name: Zeroflame Wood-C
Product no.: 1135-00, -25

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the substance or mixture: Water based fire protective paint

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet:

Company and address: **Zeroflame**
10 Flush Park, Lisburn
BT28 2DX Co Antrim
Ireland
0845 3838 333
www.zeroflame.co

Manufacturer: **Protega AB**
Verkstadsgratan 6B
23166 Trelleborg, Sverige
+46 410 56 780

E-mail: sales@zeroflame.co

Revision: 19/05/2025

SDS Version: 1.0

1.4. Emergency telephone number:

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 112 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements:

Hazard pictogram(s): Not applicable.
Signal word: Not applicable.
Hazard statement(s): Not applicable.

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Precautionary statement(s):

General:	-
Prevention:	-
Response:	-
Storage:	-
Disposal:	-
Hazardous substances:	Does not contain any substances required to report
Additional labelling:	EUH208, Contains 5-chloro-2-methyl-2H-isothiazol-3-one : 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210, Safety data sheet available on request.
VOC:	VOC content: 38 g/L MAXIMUM VOC CONTENT (Phase II, category A/i (WB): 140 g/L)

2.3. Other hazards:

Additional warnings:	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.
----------------------	--

SECTION 3: Composition/information on ingredients

3.1. Substances:

Not applicable. This product is a mixture.

3.2. Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
Feldspar-group minerals	CAS No.: 68476-25-5 EC No.: 270-666-7 UK-REACH: Index No.:	3-5%	Eye Irrit. 2, H319 STOT SE 3, H335	[19]
Dipropylene Glycol Methyl Ether	CAS No.: 34590-94-8 EC No.: 252-104-2 UK-REACH: Index No.:	<0.1%		
5-chloro-2-methyl-2H-isothiazol-3-one : 2-methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 EC No.: 911-418-6 UK-REACH: Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information:

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures:

General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed:

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.
Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters:

No specific requirements.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: $5^{\circ}\text{C} < T < 35^{\circ}\text{C}$

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters:

Propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m^3): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL:

Propane-1,2-diol

Duration:	Route of exposure:	DNEL:

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Long term – Local effects - Workers	Inhalation	10 mg/m ³
Long term – Systemic effects - Workers	Inhalation	168 mg/m ³

PNEC:

Propane-1,2-diol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		260 mg/l
Freshwater sediment		572 mg/kg d.w.
Intermittent release		183 mg/l
Marine water		26 mg/l
Marine water sediment		57.2 mg/kg d.w.
Sewage treatment plant		2000 mg/l
Soil		50 mg/kg d.w.

8.2. Exposure controls:

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.


Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment:

Generally: Use only UKCA marked protective equipment.


Respiratory Equipment:

Type	Class	Colour	Standards
S/SL	P1	White	EN149



Skin protection:

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-



Hand protection:

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	-	-	EN374-2



Eye protection:

Type	Standards
Safety glasses	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties:

Physical state:	Liquid
Colour:	Transparent white
Odour / Odour threshold:	Mild
pH:	7-9
Density (g/cm ³):	1.24
Kinematic viscosity:	No data available.
Particle characteristics:	Not applicable

Phase changes:

Melting point/Freezing point (°C):	Not applicable
Softening point/range (°C):	Does not apply to liquids.
Boiling point (°C):	100-631
Vapour pressure:	2309 Pa (20 °C)
Relative vapour density:	No data available.
Decomposition temperature (°C):	Not applicable

Data on fire and explosion hazards:

Flash point (°C):	Not applicable
Flammability (°C):	260
Auto-ignition temperature (°C):	Not applicable
Lower and upper explosion limit (% v/v):	Not applicable

Solubility:

Solubility in water:	Completely soluble
n-octanol/water coefficient (LogKow):	Not applicable
Solubility in fat (g/L):	Not applicable

9.2. Other information:

Evaporation rate (n-butylacetate = 100):	Not applicable
VOC (g/l):	38
Oxidizing properties:	Not applicable
Other physical and chemical parameters:	No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity:

No data available.

10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions:

None known.

10.4. Conditions to avoid:

None known.

10.5. Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law:

Acute toxicity:

Product/substance	Propane-1,2-diol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	22000 mg/kg

Product/substance	Propane-1,2-diol
Species:	Rabbit
Route of exposure:	Inhalation
Test:	LC50
Result:	317042 mg/L

Product/substance	Propane-1,2-diol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Product/substance	Propane-1,2-diol
Species:	Rabbit
Duration:	No data available.
Result:	No adverse effect observed (Not irritating)

Based on available data, the classification criteria are not met.

Respiratory sensitisation:

Based on available data, the classification criteria are not met.

Skin sensitisation:

Product/substance	Propane-1,2-diol
Species:	Rabbit

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Description:	Ingen irritation
Result:	No adverse effect observed (not sensitising)

Product/substance	Propane-1,2-diol
Test method:	OECD 406
Species:	Guinea pig
Description:	Ingen sensibiliser
Result:	No adverse effect observed (not sensitising)

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Product/substance	Propane-1,2-diol
Target organ:	Central nervous system
Duration:	No data available.
Result:	Kan orsaka effekt
Conclusion:	Adverse effect observed

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards:

Long term effects:

None known.

Endocrine disrupting properties:

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information:

None known.

SECTION 12: Ecological information

12.1. Toxicity:

Product/substance	Propane-1,2-diol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	40613 mg/L

Product/substance	Propane-1,2-diol
Species:	Daphnia
Duration:	48 hours
Test:	LC50

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Result: 18340 mg/L

Product/substance Propane-1,2-diol
Species: Bacteria
Duration: 24 hours
Test: NOEC
Result: 20000 mg/L

Product/substance Propane-1,2-diol
Species: Daphnia
Duration: 7 days
Test: NOEC
Result: 13020 mg/L

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability:

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential:

Product/substance Propane-1,2-diol
BCF: 0.09
LogKow: -1.07
Conclusion: -

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties:

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects:

None known.

SECTION 13: Disposal considerations

Waste treatment methods:

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code:

08 01 20 Aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Specific labelling:

Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1	14.2	14.3	14.4	14.5	Other
	UN / ID	UN proper shipping name	Hazard class(es)	PG*	Env**	information:
ADR	-	-	-	-	-	-

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information:

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user:

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments:

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Restrictions for application: No special.

Demands for specific education: No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous substances: Not applicable.

Additional information: Not applicable.

Sources: 2012 No. 1715 ENVIRONMENTAL PROTECTION: The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment:

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3:

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H310, Fatal in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWG = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information:

Not applicable.

The safety data sheet is validated by:

IED

Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en