

# SAFETY DATA SHEET

## Zeroflame Topcoat C

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier:

Trade name: Zeroflame Topcoat C  
Product no.: 2120-10, -11, -20, -21

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the substance Paint  
or mixture:

Uses advised against : None known.

#### 1.3. Details of the supplier of the safety data sheet:

Company and address: **Zeroflame**  
10 Flush Park, Lisburn  
BT28 2DX Co Antrim  
Ireland  
0845 3838 333  
www.zeroflame.co

Manufacturer: **Protega AB**  
Verkstadsgatan 6B  
23166 Trelleborg, Sverige  
+46 410 56 780

E-mail: sales@zeroflame.co

Revision: 19/05/2025

SDS Version: 1.0

#### 1.4. Emergency telephone number:

The National Poisons Information Centre (NPIC)  
Public: +353 (0) 1 809 2166 (7 days a week, 8am- 10pm)  
Healthcare professionals: +353 (0) 1 809 2566 (24 h service)  
See also section 4 "First aid measures"

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture:

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

#### 2.2. Label elements:

Hazard pictogram(s): Not applicable.  
Signal word: Not applicable.  
Hazard statement(s): Not applicable.  
Precautionary statement(s):  
General: -  
Prevention: -

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Response:	-
Storage:	-
Disposal:	-
Hazardous substances:	Does not contain any substances required to report
Additional labelling:	EUH208, Contains 1,2-benzisothiazol-3(2H)-one, 5-chloro-2-methyl-2H-isothiazol-3-one : 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210, Safety data sheet available on request. The product contains a biocidal product.
VOC:	VOC content: 67 g/L MAXIMUM VOC CONTENT (Phase II, category A/i (WB): 140 g/L)

### 2.3. Other hazards:

Additional warnings:	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.
----------------------	--

## SECTION 3: Composition/information on ingredients

### 3.1. Substances:

Not applicable. This product is a mixture.

### 3.2. Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
Dipropylene Glycol Methyl Ether	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH: 01-2119450011-60-XXXX Index No.:	1-3%		[1]
2-butoxyethanol;2-butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve	CAS No.: 111-76-2 EC No.: 203-905-0 REACH: 01-2119475108-36-XXXX Index No.: 603-014-00-0	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332	[1]
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60-XXXX Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 (SCL: 0.036 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
5-chloro-2-methyl-2H-isothiazol-3-one : 2-methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 EC No.: 911-418-6 REACH: 01-2120764691-48-XXXX Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information:

[1] European occupational exposure limit.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures:

General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
Burns:	Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed:

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

#### Information to medics:

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media:

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and

nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters:

No specific requirements.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling:

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: 5°C < T < 35°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters:

Dipropylene Glycol Methyl Ether

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 308

Long term exposure limit (8 hours) (ppm): 50

Annotations:

IOELV = Indicative Occupational Exposure Limit Values are health based limits set under the Chemical Agents Directive (98/24/EC).

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Sk = Substance, which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body.

2-butoxyethanol;2-butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 98

Long term exposure limit (8 hours) (ppm): 20

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 246

Short term exposure limit (15 minutes) (ppm): 50

Annotations:

IOELV = Indicative Occupational Exposure Limit Values are health based limits set under the Chemical Agents Directive (98/24/EC).

Sk = Substance, which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body.

2024 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024).

#### DNEL:

2-butoxyethanol;2-butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Inhalation	59 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	98 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	147 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	246 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	426 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	1091 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	6.3 mg/kg bw/day
Short term – Systemic effects - General population	Oral	26.7 mg/kg bw/day

Dipropylene Glycol Methyl Ether

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	37.2 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	308 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	36 mg/kg bw/day

#### PNEC:

No data available.

#### 8.2. Exposure controls:

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum concentrations


Appropriate technical measures:	for occupational exposure. See occupational hygiene limit values above. The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.
Hygiene measures:	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.
Measures to avoid environmental exposure:	No specific requirements.

#### Individual protection measures, such as personal protective equipment:

Generally: Use only CE marked protective equipment.


##### Respiratory Equipment:

Type	Class	Colour	Standards
S/SL	P1	White	EN149




##### Skin protection:

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-




##### Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	-	-	EN374-2



##### Eye protection:

Type	Standards
Safety glasses	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties:

Physical state:	Liquid
Colour:	Transparent white
Odour / Odour threshold:	Characteristic
pH:	7-9
Density (g/cm³):	1.04
Relative density:	1.04 (20 °C)

Kinematic viscosity: No data available.

Particle characteristics: Not applicable

#### Phase changes:

Melting point/Freezing point (°C): Not applicable

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C): Not applicable

Vapour pressure: 2320 Pa (20 °C)

Relative vapour density: Not applicable

Decomposition temperature (°C): Not applicable

#### Data on fire and explosion hazards:

Flash point (°C): 70

Flammability (°C): 238

Auto-ignition temperature (°C): Not applicable

Lower and upper explosion limit (% v/v): Not applicable

#### Solubility:

Solubility in water: Completely soluble

n-octanol/water coefficient (LogKow): Not applicable

Solubility in fat (g/L): Not applicable

#### 9.2. Other information:

Evaporation rate (n-butylacetate = 100): Not applicable

VOC (g/L): 67

Other physical and chemical parameters: No data available.

Oxidizing properties: Not applicable

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity:

No data available.

#### 10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions:

None known.

#### 10.4. Conditions to avoid:

None known.

#### 10.5. Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

##### Acute toxicity:

Based on available data, the classification criteria are not met.

##### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:**

Based on available data, the classification criteria are not met.

**Respiratory sensitisation:**

Based on available data, the classification criteria are not met.

**Skin sensitisation:**

This product contains substances that may trigger an allergic reaction in already sensitized persons.

**Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards:**

**Long term effects:**

None known.

**Endocrine disrupting properties:**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

**Other information:**

2-butoxyethanol; 2-butoxyethanol; ethylene glycol monobutyl ether; ethylene glycol monobutyl ether; butyl cellosolve has been classified by IARC as a group 3 carcinogen.

## SECTION 12: Ecological information

**12.1. Toxicity:**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability:**

Based on available data, the classification criteria are not met.

**12.3. Bioaccumulative potential:**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil:**

No data available.

**12.5. Results of PBT and vPvB assessment:**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Endocrine disrupting properties:**

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

**12.7. Other adverse effects:**

None known.



## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods:

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code: 08 01 20 Aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

### Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

### Additional information:

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user:

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments:

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Restrictions for application:	Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.
Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	Not applicable.
Additional information:	Not applicable.
Sources:	Maternity Protection Act 1994 (34/1994) with later amendments. Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products. S.I. No. 199/2007 - Limitation of Emissions of Volatile Organic Compounds Due to the Use of Organic Solvents in Certain Paints, Varnishes and Vehicle Refinishing Products Regulations 2007. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. Regulation (EC) No 1272/2008 of the European Parliament and of the

Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment:

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3:

EUH071, Corrosive to the respiratory tract.  
H301, Toxic if swallowed.  
H302, Harmful if swallowed.  
H310, Fatal in contact with skin.  
H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H318, Causes serious eye damage.  
H319, Causes serious eye irritation.  
H330, Fatal if inhaled.  
H332, Harmful if inhaled.  
H400, Very toxic to aquatic life.  
H410, Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
GWP = Global warming potential  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

**Additional information:**

Not applicable.

**The safety data sheet is validated by:**

IED

**Other:**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IE-en