

SAFETY DATA SHEET Demon Snow Foam Shampoo

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	Demon Snow Foam Shampoo
Product number	CDW200, CDW201, CDW222, CDW005, CDW106, CDW101, CDW800, WDF101, CDW220, CDW998, CDW999, CDW022, CDW045, CDW145, CDW845
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Auto shampoo.
1.3. Details of the supplier of	the safety data sheet
Supplier	TETROSYL EUROPE 79 rue du chemin vert 59.273 Fretin TEL: 03 20 28 06 30 qualite@tetrosyl-france.com
Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com
1.4. Emergency telephone nu	mber
Emergency telephone	+44 (0)161 764 5981
SECTION 2: Hazards identific	cation
2.1. Classification of the subs	tance or mixture
Classification (SI 2019 No. 72	<u>20)</u>
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements Hazard pictograms	
Signal word	Warning

Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	1,2-benzisothiazol-3(2H)-one, 2-METHYLISOTHIAZOL-3(2H)-ONE, reaction mass of: 5- chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)
Detergent labelling	5 - < 15% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
OLEFIN SULPHONATE, SODIUM	1 SALT	5-<10%
CAS number: 68439-57-6	EC number: 931-534-0	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Eye Dam. 1 - H318 ALCOHOLS, C12-14, ETHOXYLA SODIUM SALTS	NTED, SULFATES,	1-<2%
ALCOHOLS, C12-14, ETHOXYLA	TED, SULFATES, EC number: 500-234-8	1-<2%
ALCOHOLS, C12-14, ETHOXYLA SODIUM SALTS		1-<2%
ALCOHOLS, C12-14, ETHOXYLA SODIUM SALTS CAS number: 68891-38-3		1-<2%
ALCOHOLS, C12-14, ETHOXYLA SODIUM SALTS CAS number: 68891-38-3 Classification		1-<2%

BENZENESULFONIC ACID, 4-C1		1-<2%
DERIVS., COMPDS. WITH TRIET	HANOLAMINE	
CAS number: 121617-08-1	EC number: 695-726-3	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
AMIDES, C8-C18(EVEN NUMBER		1-<2%
N,N-BIS(HYDROXYETHYL)		1 2 70
CAS number: —	EC number: 931-329-6	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 2 - H411		
DIETHANOLAMINE		0.1-<0.3%
CAS number: 111-42-2	EC number: 203-868-0	
	Lo humber. 200-000-0	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT RE 2 - H373		
GLYCEROL		<0.1
CAS number: 56-81-5	EC number: 200-289-5	
CAS humber: 50-61-5	EC humber: 200-269-5	
Classification		
Not Classified		
	_	
2-METHYLISOTHIAZOL-3(2H)-ON		-<0.05
CAS number: 2682-20-4	EC number: 220-239-6	
M factor (Acute) = 10	M factor (Chronic) = 1	
Corrosive to the respiratory tract.		
May cause an allergic skin reaction	n.This substance has specific concentration limits.≥0.0015	
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 2 - H330		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1A - H317		
SKIII SEIIS. TA - HSTI		
Aquatic Acute 1 - H400		

-<0.05 1,2-benzisothiazol-3(2H)-one CAS number: 2634-33-5 EC number: 220-120-9 M factor (Acute) = 1 Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 ETHYL ACETATE 0.001 - <0.005% CAS number: 141-78-6 EC number: 205-500-4 Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336 The full text for all hazard statements is displayed in Section 16. SECTION 4: First aid measures 4.1. Description of first aid measures General information Get medical attention if any discomfort continues. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Effects may be delayed. Keep affected person under observation. Remove affected person from source of contamination. Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if a large quantity has been ingested. Show this Safety Data Sheet to the medical personnel. Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Get medical attention if any discomfort continues. Eye contact Important! Immediately rinse with water for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention promptly if symptoms occur after washing. 4.2. Most important symptoms and effects, both acute and delayed General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation. Inhalation No specific symptoms known. Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contactSkin irritation. Prolonged or repeated contact with skin may cause irritation, redness and
dermatitis. Blistering may occur.

Eye contactIrritating to eyes. Symptoms following overexposure may include the following: Redness.Pain. May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Water. Use fire- extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	No specific firefighting precautions known.	
Special protective equipment for firefighters	Leave danger zone immediately.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes.	
6.2. Environmental precautions	<u>-</u>	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	No specific clean-up procedure recommended.	
6.4. Reference to other section	<u>e</u>	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Keep containers upright. Store in tightly-closed, original container.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure control	s/Personal protection	
8.1. Control parameters Occupational exposure limits	naredient(s)	

No exposure limits known for ingredient(s).

DIETHANOLAMINE

Long-term exposure limit (8-hour TWA): OES 3 ppm 15 mg/m³ Short-term exposure limit (15-minute): OES

GLYCEROL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

ETHYL ACETATE

Long-term exposure limit (8-hour TWA): WEL 200 ppm Short-term exposure limit (15-minute): WEL 400 ppm

WEL = Workplace Exposure Limit.

Ingredient comments

No exposure limits known for ingredient(s).

GLYCEROL (CAS: 56-81-5)

DNEL	Workers - Inhalation; Long term local effects: 56 mg/m ³ General population - Inhalation; Long term local effects: 33 mg/m ³ General population - Oral; Long term systemic effects: 229 mg/kg
PNEC	Fresh water; 0.885 mg/l marine water; 0.0885 mg/l Intermittent release; 8.85 mg/l Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg Soil; 0.141 mg/kg STP; 1000 mg/l

8.2. Exposure controls

Protective equipment





Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Hygiene measures	Provide eyewash station and safety shower. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Wash hands after contact. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. Wash contaminated clothing before reuse.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Appropriate engineering controls	All handling should only take place in well-ventilated areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Clear liquid.

Colour	Green.
Odour	Fruity.
рН	pH (concentrated solution): 8.0 - 10.0
Melting point	Not determined.
Initial boiling point and range	100°C @ 1013 hPa
Flash point	>100°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.000 - 1.020g/cm³ @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	<50 cP @ 20°C
Oxidising properties	Not available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
<u>10.1. Reactivity</u> Reactivity	The following materials may react strongly with the product: Alkaline earth metals. Powdered metal.
Reactivity	
Reactivity 10.2. Chemical stability	metal. No particular stability concerns.
Reactivity <u>10.2. Chemical stability</u> Stability	metal. No particular stability concerns.
Reactivity <u>10.2. Chemical stability</u> Stability <u>10.3. Possibility of hazardous</u> Possibility of hazardous	metal. No particular stability concerns. reactions
Reactivity <u>10.2. Chemical stability</u> Stability <u>10.3. Possibility of hazardous</u> Possibility of hazardous reactions	metal. No particular stability concerns. reactions
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials	metal. No particular stability concerns. reactions Not applicable. There are no known conditions that are likely to result in a hazardous situation.
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid	metal. No particular stability concerns. reactions Not applicable. There are no known conditions that are likely to result in a hazardous situation. Alkali metals. Powdered metal.
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	metal. No particular stability concerns. reactions Not applicable. There are no known conditions that are likely to result in a hazardous situation. Alkali metals. Powdered metal. n products
Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid	metal. No particular stability concerns. reactions Not applicable. There are no known conditions that are likely to result in a hazardous situation. Alkali metals. Powdered metal.

11.1. Information on toxicological effects

Serious eye damage/irritation	
Serious eye damage/irritation	Ocular corrosive effect was assessed using the Isolated Chicken Eye method according to the OECD guideline 438; the outcome of this study shows that, at the 25% dilution level in water this material does not cause serious eye damage and therefore does not require the H318 classification and associated pictogram. There is currently no validated in-vitro test method to determine ocular irritancy, therefore products containing up to 25% of this material, containing no other components classified as hazardous still require the H319 classification and associated exclamation mark pictogram.
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Irritating to eyes.
Acute and chronic health hazards	This product has low toxicity. Only large quantities are likely to have adverse effects on human health. This product may cause skin and eye irritation.
SECTION 12: Ecological inform	nation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Acute aquatic toxicity	
Acute toxicity - fish	Not available.
Acute toxicity - aquatic invertebrates	Not available.
12.2. Persistence and degrada	bility
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	<u> </u>
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.
12.4. Mobility in soil	
Mobility	The product is soluble in water.
Adsorption/desorption coefficient	Not available.
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current UK criteria.
12.6. Other adverse effects	
Other adverse effects	Not applicable.
SECTION 13: Disposal conside	prations
13.1. Waste treatment methods	3

General information Waste should be treated as controlled waste.

Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name	<u>e</u>	
Not applicable.		
14.3. Transport hazard class(e	<u>s)</u>	
No transport warning sign requ	Jired.	
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous su No.	bstance/marine pollutant	
14.6. Special precautions for u	iser	
Not applicable.		
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
SECTION 15: Regulatory infor	mation	
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture	
National regulations	EH40/2005 Workplace exposure limits	
15.2. Chemical safety assessment		
No chemical safety assessment has been carried out.		
SECTION 16: Other information	n	
Revision comments	NOTE: Lines within the margin indicate significant changes from the providue revision	
	NOTE: Lines within the margin indicate significant changes from the previous revision.	
Issued by	Regulatory Department	
Revision date	28/04/2022	
Revision	15	
Supersedes date	02/03/2022	
SDS status	Approved.	

Hazard statements in full	H225 Highly flammable liquid and vapour.
	H301 Toxic if swallowed.
	H302 Harmful if swallowed.
	H310 Fatal in contact with skin.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H330 Fatal if inhaled.
	H336 May cause drowsiness or dizziness.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.