

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: OWATROL NET-TROL

Product code: NET001.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Wood Cleaner & Colour Restorer.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: DURIEU S.A..

Address : Z.I. "La Marinière" 2 bis, rue Charles de Gaulle.91070.BONDOUFLE.FRANCE.

Telephone: + 33 (0)1.60.86.48.70. Fax: + 33 (0)1.60.86.84.84.

info@durieu.com www.durieu.com

## 1.4. Emergency telephone number: + 33 (0)1.45.42.59.59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### Other emergency numbers

UNITED KINGDOM :UK National poisons emergency number: +44 (0) 870 600 6266 IRELAND, EIRE: Ireland National Poisons Information Centre: +353 (0) 1 8379964 AUSTRALIA: Poison Information Centre: 131 126 NEW ZEALAND: Poison Information Centre 0 800 764 766:

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

Detergent mixture (see section 15).

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word : WARNING

Hazard statements:

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention :

P262 Do not get in eyes, on skin, or on clothing.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures



## Composition:

| Identification           | (EC) 1272/2008      | Note | %               |
|--------------------------|---------------------|------|-----------------|
| INDEX: 607-006-00-8      | GHS07               | [1]  | 2.5 <= x % < 10 |
| CAS: 144-62-7            | Wng                 |      |                 |
| EC: 205-634-3            | Acute Tox. 4, H312  |      |                 |
|                          | Acute Tox. 4, H302  |      |                 |
| OXALIC ACID              |                     |      |                 |
| INDEX: 144               | GHS07               |      | 2.5 <= x % < 10 |
| CAS: 7601-54-9           | Wng                 |      |                 |
| EC: 231-509-8            | Skin Irrit. 2, H315 |      |                 |
|                          | Eye Irrit. 2, H319  |      |                 |
| TRISODIUM ORTHOPHOSPHATE | STOT SE 3, H335     |      |                 |
| INDEX: PCP226            |                     | [1]  | 0 <= x % < 2.5  |
| CAS: 57-55-6             |                     |      |                 |
| EC: 200-338-0            |                     |      |                 |
| REACH: 01-2119456809-23  |                     |      |                 |
| PROPANE-1,2-DIOL         |                     |      |                 |

(Full text of H-phrases: see section 16)

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

# In the event of exposure by inhalation:

Nothing.

## In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

Wash thoroughly with soft clean water for 15mn holding the eyelids open.

Refer to an ophthalmologist in particular if there is any redness, pain or visual impair.

# In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

This product is not classed as flammable.

# 5.1. Extinguishing media



# Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- powder
- carbon dioxide (CO2)
- water with AFFF (Aqueous Film Forming Foam) additive
- multipurpose ABC powder
- foam

#### Unsuitable methods of extinction

Direct water iet.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

# 5.3. Advice for firefighters

Boot, gloves and glasses.

Bring independant breathing apparatus.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available

# SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Keep containers tightly closed.

### Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children

Opened container must be thoroughly closed and kept in vertical position.

Keep only in the original container

Stock between +5°C and +30°C in a dry, well ventilated place.

#### Storage

Keep out of reach of children.

# **Packaging**

Always keep in packaging made of an identical material to the original.

Recommended types of packaging:

- Vats

Suitable packaging materials:

- Plastic

Unsuitable packaging materials:

- Metal

### 7.3. Specific end use(s)

No data available.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

# **(1)**

### Occupational exposure limits :

- European Union (2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE):

| CAS      | VME-mg/m3: | VME-ppm: | VLE-mg/m3: | VLE-ppm: | Notes: |
|----------|------------|----------|------------|----------|--------|
| 144-62-7 | 1          | -        | -          | -        | -      |

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

| CAS      | TWA:    | STEL:   | Ceiling: | Definition : | Criteria : |
|----------|---------|---------|----------|--------------|------------|
| 144-62-7 | 1 mg/m3 | 2 mg/m3 |          |              |            |

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

|          | . '   |         |        |       |
|----------|-------|---------|--------|-------|
| CAS      | VME : | VME :   | Excess | Notes |
| 144-62-7 |       | 1 mg/m³ |        | 1(I)  |

- France (INRS - ED984 / 2020-1546) :

| CAS      | VME-ppm: | VME-mg/m3: | VLE-ppm: | VLE-mg/m3: | Notes: | TMP No: |
|----------|----------|------------|----------|------------|--------|---------|
| 144-62-7 | _        | 1          | _        | _          | _      | _       |

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

| CAS      | TWA:                 | STEL:   | Ceiling: | Definition: | Criteria : |  |
|----------|----------------------|---------|----------|-------------|------------|--|
| 144-62-7 | 1 mg/m³              | 2 mg/m³ |          |             |            |  |
| 57-55-6  | 10 mg/m <sup>3</sup> |         |          |             |            |  |

### 8.2. Exposure controls

#### Appropriate engineering controls

For outdoor uses only. Rinse with fresh water.

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.



# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

- Impervious gloves in accordance with standard EN ISO 374-2

Permeability time: >480 min for a thickness >0.75 mm



CEN recommendations: EN 420 and EN 374/3

# - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact. In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact. Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.



#### - Respiratory protection

Type of FFP mask:

Wear a disposable half-mask dust filter in accordance with standard EN149.

Category:

- FFP2

Type of mask with combined filters:

Wear a half mask in accordance with standard EN140.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- A1 (Brown)
- AX (Brown)

Particle filter according to standard EN143:

- P2 (White)

CEN recommendations: EN 136, EN 140, EN 405 for masks and EN 143, EN 149 for filters.

Respiratory protective gears to absorb the aerosols must be carried when the product is sprinkled insofar as the exposure cannot be controlled to be in lower part of the limiting risk of exposure.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

### General information:

| Physical state :                                       | Viscous liquid.  |
|--|------------------|
| Colour:  | Bluish           |
| Important health, safety and environmental information |                  |
| pH (aqueous solution):                                 | 2.00             |
| pH:  | 2.00 .           |
|  | Strongly acidic. |
| Boiling point/boiling range :                          | Not relevant.    |
| Flash point interval :                                 | Not relevant.    |
| Vapour pressure (50°C) :                               | Not relevant.    |
| Density:   | >1               |
| Water solubility :                                     | Dilutable.       |
| Melting point/melting range :                          | Not relevant.    |
| Self-ignition temperature :                            | Not relevant.    |
| Decomposition point/decomposition range :              | Not relevant.    |
| % VOC:   | 0%               |
| 9.2. Other information                                 |                  |
| VOC (g/l):   | 0                |

### **SECTION 10: STABILITY AND REACTIVITY**

Shake product well before using.

#### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

Avoid:

- frost

Keep away from corrosive agents such as strong acids or alkalines to avoid possible leakage or self combustion.

Always stock in its original packaging. Do not transfer in another package.

#### 10.5. Incompatible materials

No data available.

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

#### 11.1.1. Substances

No toxicological data available for the substances.



#### Acute toxicity:

PROPANE-1,2-DIOL (CAS: 57-55-6)

Oral route : LD50 = 22000 mg/kg

Species: Rat

Dermal route: LD50 > 2000 mg/kg

Species : Rabbit

Inhalation route (Dusts/mist) : LC50 > 315642 mg/l

Species : Rabbit



# Respiratory or skin sensitisation:

PROPANE-1,2-DIOL (CAS: 57-55-6)

Local lymph node stimulation test : Non-Sensitiser.

Species: Rabbit

OCDE Ligne directrice 406 (Sensibilisation de la peau)

OCDE Ligne directrice 406 (Sensibilisation de la peau)

OCDE Ligne directrice 406 (Sensibilisation de la peau)

#### 11.1.2. Mixture

# Skin corrosion/skin irritation:

Corrosivity: No observed effect.

OCDE Ligne directrice 431 (Corrosion cutanée in vitro : Essai sur modèle de

peau humaine)

The irritant clasification based on a high/low pH has been confirmed by irritation tests.

# Serious damage to eyes/eye irritation :

The irritant clasification based on a high/low pH has been confirmed by irritation tests.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

This product is water miscible and contains Phosphate.



#### 12.1.1. Substances

PROPANE-1,2-DIOL (CAS: 57-55-6)

Fish toxicity: LC50 = 40613 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

OWATROL NET-TROL - NET001

Crustacean toxicity:

EC50 = 18340 mg/l

Species : Ceriodaphnia dubia Duration of exposure : 48 h

OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

Algae toxicity: ECr50 = 19000 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 96 h

OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

Easily biodegradable.

# 12.2.1. Substances

PROPANE-1,2-DIOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not

degrading quickly.

#### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

This product is dilutable in water in all proportion.

### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

Diluted in plenty of water, the product does not present significant environmental risks.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

06 01 06 \* other acids

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

-

#### 14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

\_

# 14.5. Environmental hazards

\_

# 14.6. Special precautions for user

#### **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182 (ATP 15)

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):
  - 5 % or over but less than 15 % : phosphates

### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3:

| H302 | Harmful if swallowed.             |
|------|-----------------------------------|
| H312 | Harmful in contact with skin.     |
| H315 | Causes skin irritation.           |
| H319 | Causes serious eye irritation.    |
| H335 | May cause respiratory irritation. |



#### Abbreviations:

STEL : Short-term exposure limit TWA : Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.